



# 20' STANDARD CONTAINER

Description: For dry and general cargo.

Internal Measures: Length: 5,89 mts. Width: 2,35 mts. Height: 2,39 mts.

Door opening: Length: 2,34 mts. Width: 2.28 mts.

Tare Weight: 2.230 kgs.

Maximum Load/Cargo: 21.770 kgs. Maximum Weight: 24.000 kgs.

Volume: 33.20 m3



## 40' STANDARD CONTAINER

Description: For dry and general cargo.

Internal Measures: Length: 12,03 mts. Width: 2,35 mts. Height: 2,39 mts.

Door opening: Length: 2,34 mts. Width: 2,28 mts.

Tare Weight: 3.750 kgs.

Maximum Load/Cargo: 28.750 kgs. Maximum Weight: 32.500 kgs.

Volume: 67,70 m3



### **IMPORTANT:**





## 40' HIGH CUBE CONTAINER

Description: For bulk cargo.

Internal Measures: Length: 12,03 mts. Width: 2,35 mts. Height: 2,69 mts.

Door opening: Length: 2,34 mts. Width: 2,58 mts.

Tare Weight: 3.940 kgs.

Maximum Load/Cargo: 25.560 kgs. Maximum Weight: 32.500 kgs.

Volume: 76,40 m3



## 20' 40' PLATFORM CONTAINER

Description: For heavy weight and irregular cargo. Used in wheeled machinery.

Length: Width:

Tare Weight: Maximum Load/Cargo: Maximum Weight:

(20')	(40')
6,06 mts. 2,44 mts.	12,19 mts. 2,44 mts.
1.500 kgs. 25.400 kgs. 26.900 kgs.	4.220 kgs. 35.780 kgs. 40.000 kgs.



### **IMPORTANT:**





## 20' 40' OPEN TOP CONTAINER

Description: For loads that are oversized in height or for cargo that needs to be loaded from above.

	(20')	(40')
Internal Measures: Length: Width: Height:	5,88 mts. 2,35 mts. 2,34 mts.	12,02 mts. 2,35 mts. 2,32 mts.
Door opening: Length: Width:	2,30 mts. 2,22 mts.	2,34 mts. 2,24 mts.
Top opening: Length: Width:	5,49 mts. 2,18 mts.	11,87 mts. 2,18 mts.
Tare Weight: Maximum Load/Cargo: Maximum Weight: Volume:	2.360 kgs. 28.120 kgs. 30.480 kgs. 32,40 m3	2.360 kgs. 30.140 kgs. 32.500 kgs. 65,70 m3



# 20' 40' FLAT RACK CONTAINER

Description: for oversized cargo and Project cargo.

Internal Measures: Length: Width: Height:

Tare Weight: Maximum Load/Cargo: Maximum Weight:

(20')	(40')
5,94 mts.	12,13 mts.
2,35 mts.	2,40 mts.
2,34 mts.	2,13 mts.
4.030 kgs.	5.000 kgs.
28.470 kgs.	40.000 kgs.
32.500 kgs.	45.000 kgs.



### **IMPORTANT:**





## 20' 40' REEFER CONTAINER

Descript ion: for frozen cargo or goods that need refrigeration.

	(20')	(40')
Internal Measures: Length: Width: Height:	5,44 mts. 2,26 mts. 2,27 mts.	11,56 mts. 2,28 mts. 2,24 mts.
Door opening: Length: Width:	2,27 mts. 2,24 mts.	2,28 mts. 2,20 mts.
Tare Weight: Maximum Load/Cargo: Maximum Weight: Volume:	3.080 kgs. 27.400 kgs. 30.480 kgs. 28,10 m3	4.800 kgs. 30.140 kgs. 27.700 kgs. 59,30 m3



## 40' REEFER HIGH CUBE CONTAINER

Description: for frozen cargo or goods that need refrigeration.

Internal Measures:

Length: 11,56 mts. Width: 2,26 mts. Height: 2,55 mts.

Door opening:

Length: 2,27 mts. Width: 2,50 mts.

Tare Weight: 4.850 kas. Maximum Load/Cargo: 29.150 kgs. Maximum Weight: 34.000 kgs. Volume: 67,00 m3



### **IMPORTANT:**





## 20' 40' ISO TANK CONTAINER

Description: There are various applications and designs for this type of containers. Mostly made of stainless steel or other anti-corrosive materials, they are used to carry hazardous chemical products, oils and vinegars.



### **IMPORTANT:**